



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/943,758	09/04/2001	Vadim Y. Banine	P 282980 P-0202.011-US	8495
909 7590 11/01/2007 PILLSBURY WINTHROP SHAW PITTMAN, LLP P.O. BOX 10500 MCLEAN, VA 22102			EXAMINER NGUYEN, LAM S	
			ART UNIT 2853	PAPER NUMBER
			MAIL DATE 11/01/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

09/943,758

Applicant(s)

BANINE ET AL.

Examiner

LAM S. NGUYEN

Art Unit

2853

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 09 October 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-13, 15, 16 and 18-26 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-13, 15-16, 18-26 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 04 September 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☒ Certified copies of the priority documents have been received in Application No. 09/942,953.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 10/9/2007 has been entered.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

1. Claims 1-12, 15-16, 18-22, and 23-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tanaka et al. (EP 1020897 A1) in view of Klebanoff et al. (US 6533952).

Referring to claims 1, 10, 15, 18-22:

Tanaka et al. discloses a lithographic projection apparatus comprising:

- a radiation system to supply a projection beam of radiation (*FIG. 4, element CA*);
- a support structure adapted to support patterning structure which can be used to pattern the projection beam according to a desired pattern (*FIG. 4, element R*);
- a substrate table to hold a substrate (*FIG. 4, elements WS*);
- a projection system to project the patterned beam onto a target portion of the

substrate (*FIG. 4, element 300*),

a gas supply (*FIG. 4, element 150 and 160*), configured and arranged to supply a gaseous to a space (*FIG. 4, element CA*) containing a mirror (*FIG. 4, element 201, 203, and 208*);

at least one sensor selected from the group comprising a reflectivity sensor to monitor a reflectivity of said mirror and a pressure sensor to monitor a background pressure in said space (*FIG. 4, element PSI*); and

a gas supply control to control said gas supply in responsive to a signal from said at least one sensor (*FIG. 4, element 402: The output of sensor PSI is inputted to CONTROL CIRCUIT 402 that outputs the signal 1 to control valve V1. Since either supply or discharge gas from the case CA affects the current amount of gas in the case CA, controlling the valve V1 to adjust the gas discharge is considered as controlling the current amount of gas in the case CA supplied from the gas source*).

Tanaka et al. however does not disclose wherein the supplied gas is hydrocarbon such as alcohol or ethanol used to control a thickness of a cap layer of hydrocarbon formed on the mirror, which is a collector mirror, using the gaseous hydrocarbon, wherein the gaseous alcohol is supplied to said space at a pressure sufficient to achieve a thickness of said cap layer which does not increase substantially over time, and wherein the alcohol forms a cap layer on said mirror, wherein the projecting causes sputtering of the cap layer, and wherein the gaseous alcohol is supplied to said space at a pressure sufficient to achieve a thickness of said cap layer which does not increase substantially over time, wherein, in use, the layer of hydrocarbon is formed on the mirror by adsorption of the gaseous hydrocarbon.

Klebanoff et al. suggests that in order to protect a surface of a component (such as a collector/multilayer mirror (*column 3, lines 50-54 and column 4, lines 10-20*)) exposed to or sputtered by a radiation source, a gas, typically a hydrocarbon such as alcohol, is introduced into the environment of the surface (*Abstract; column 3, lines 62-66; and column 4, lines 60-65*) to eliminate reactive oxygen species that could oxidize the surface and degrade its reflectivity (*column 3, line 65 to column 4, line 8*). In other words, such gas is used to control a thickness of a layer of hydrocarbon formed on the mirror, wherein the thickness of the layer does not increase substantially over time (**Referring to claims 7-9, 11-12**), and wherein the alcohol forms a cap layer on the mirror, wherein the radiation causes sputtering of the cap layer, and wherein the gaseous alcohol is supplied to said space at a pressure sufficient to achieve a thickness of said cap layer which does not increase substantially over time (**Referring to claims 15-16 and 20-21**) (*column 3, lines 61 to column 4, line 5: "Prior to exposing surface 210 to incident radiation, a small amount of a hydrocarbon gas that will also bind to surface 210 is admitted to the system" means that the binding of the hydrocarbon gas to surface 210 forms a cap layer of hydrocarbon on the surface 210 before the cap layer is sputtered by the incident radiation. Moreover, because the sputtering will cause the hydrocarbon molecules bound to the surface 210 be dissociated, the thickness of the cap layer of hydrocarbon would not increase substantially over time. In addition, since the pressure gas is maintained at a certain value, the thickness of the hydrocarbon layer would not increase substantially over time due to the increase of the pressure gas*), wherein, in use, the layer of hydrocarbon is formed on the mirror by adsorption of the gaseous hydrocarbon (*column 2, lines 14-16: "Surface 110 has both hydrocarbon and water molecules adsorbed thereon"*) (**Referring to claims 23-26**).

Therefore, it would have been obvious for one having ordinary skill in the art at the time invention was made to modify the gas supply source disclosed by Tanaka et al. to supply hydrocarbon gas as disclosed by Klebanoff et al. The motivation for doing so would have been to eliminate reactive oxygen species that could oxidize the surface and degrade its reflectivity as taught by Klebanoff et al. (*column 3, line 65 to column 4, line 8*).

- **Tanaka et al. also discloses the following claimed invention:**

Referring to claim 2: wherein the radiation system contains said space containing the mirror (*FIG. 4, element 201, 203, and 208*).

Referring to claim 3: wherein the radiation system comprises one of a laser-produced plasma source and a discharge source adapted to supply a beam of extreme ultraviolet (EUV) radiation as said projection beam (*FIG. 4, element 100*).

Referring to claims 4-6: wherein said beam of extreme ultraviolet radiation has a wavelength of less than about 50nm, in the range of from 8 to 20nm, or from 9 to 16 nm (*column 42, lines 23-25*).

2. Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tanaka et al. (EP 1020897 A1) in view of Klebanoff et al. (US 6533952), as applied to claim 10, and further in view of Duveneck et al. (US 6469785).

Tanaka et al., as modified, discloses the claimed invention as discussed above and also discloses wherein the method further comprises adapting the amount of gaseous hydrocarbon supplied to the space such that at least part of at least a top layer of said minor undergoes sputtering. However, Tanaka et al., as modified, does not disclose wherein said mirror comprises at least 40 multilayers.

Duveneck et al. discloses a multilayer mirror that comprises of 40 sequenced layers in order to obtain high efficiency and high optical output (*column 9, lines 2-7 and lines 30-35*).

Therefore, it would have been obvious for one having ordinary skill in the art at the time invention was made to replace the mirror disclosed by Tanaka et al., as modified, by the one comprising of 40 layers as disclosed by Duveneck et al. The motivation for doing so would have been to obtain high efficiency and high optical output as taught by Duveneck et al. (*column 9, lines 2-7 and lines 30-35*).

Response to Arguments

Applicant's arguments filed 10/09/2007 have been fully considered. The applicant please sees the rejection above for new citations and further explanations.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LAM S. NGUYEN whose telephone number is (571)272-2151. The examiner can normally be reached on 7:00AM - 3:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, STEPHEN D. MEIER can be reached on (571)272-2149. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR

Application/Control Number:
09/943,758
Art Unit: 2853

Page 7

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



LAM SON NGUYEN